



PIG® Oil-Only Absorbent Mat Roll

MAT401 Heavyweight, 30" x 150', 1 roll

Lasts 2x longer than ordinary mats for fewer change-outs, while only absorbing oil and fuels, NOT water. Loves oil. Hates water.

- Our most cost-effective mat when you only need to absorb oil-based liquids
- Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue
- Absorbs oil and fuels, NOT water
- White color tells you it's only for oils and fuels; draws attention to machine leaks and clearly shows saturation level during spill response
- Floats to clean up spills on water
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Rolls are ideal for covering large areas and soaking up leaks and overspray
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Heavy-weight construction is highly durable and absorbent for demanding tasks and largevolume cleanups
- Mats take on the properties of absorbed liquids
 always take proper precautions when handling saturated absorbents



Specifications

| Traffic | Light Foot Traffic |
|--------------------|------------------------------------|
| Static-Dissipative | No |
| Indoor/Outdoor | Indoor Use; Short-Term Outdoor Use |
| Floating | Yes |
| Perforated Pattern | 10" x 15" sections |
| Reusable | No |
| Wringable | Yes |
| Incinerable | Yes |

| Flammability Specifications | Flame Resistant - Will melt and self-extinguish |
|-----------------------------|-------------------------------------------------|
| Fluid Absorbed | Oils, Fuels, Other Oil-Based Liquids Only |
| Color | White |
| Dimensions | 30" W x 150' L |
| Mat Weight | Heavyweight |
| Absorbency | Up to 40.2 gal. per bag |
| Absorbency per | Up to 40.2 gal. per roll |
| Brand | PIG |
| Core Diameter | 1.5" |
| Perforated | Yes |
| Sold as | 1 roll per bag |
| Weight | 30 lbs. |
| # per Pallet | 12 |
| Composition | Polypropylene |
| UNSPSC | 47131901 |
| UV Resistant | No |
| Pigalog® Page Number | Page 49 |
| Metric Equivalent | |
| | |

| Absorbency per | Up to 152.2 L per roll |
|----------------|------------------------|
| Absorbency | Up to 152.2 L per bag |
| Dimensions | 76.2cm W x 46m L |
| Weight | 13.6 kg |

Technical Information

Technical Documents

White paper – Should I be Worried about SPCC? 8 Things you need to know.

PIG® Oil-Only Absorbents

29 CFR 1910.22(a)(2)

40 CFR 112.7

40 CFR 122.26

Disclaimers

Outdoor Use Notice

Intended for indoor use or short-term outdoor use only; not suited for extended exposure to direct sunlight.

Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.