

WG-718 Dexcut™

PRODUCT TECHNICAL SHEET



PROTECTION

- Cut-resistance
- Industrial oils
- Liquids

NORMS



EN388:
2016



4X43D



DOCUMENTS

You can also upload on our website :

- Product technical sheet
- EU certificate
- Declaration of Conformity
- Food contact information
- User instructions

APPLICATIONS

- Automotive
- Metallurgy
- Petrochemicals
- Mechanical industry
- Steel industry
- Glass industry
- Part sorting
- Stampings
- Recycling
- Handling of very sharp objects or parts

INFORMATION

Coating

Nitrile triple dip, Fully dipped knitwrist

Liner

Spandex, Tsunooga and Technical Fiber, Wine-red

Gauge

13

Packaging

12 paires / polybag

144 paires / box

DIMENSIONS Tolerance ± 5 %

SIZE	6 / XS	7 / S	8 / M	9 / L	10 / XL	11 / XXL
Hem Color		Light purple	Green	Cream	Light blue	Black
Overall Length (mm)		238	245	254	265	273
Palm width (mm)		102	110	112	118	123
Length of middle finger (mm)		78	80	85	90	94
Thickness (µm)		1420	1420	1420	1420	1420
Weight (g/paire)		82.3	94.5	99.2	105.5	115.4
Liner Weight (g/paire)		40.8	46.3	48.6	51.7	56.5
Coating Weight (g/paire)		42.4	48.2	50.6	53.8	58.9

CARTON INFORMATION

Carton Volume (m,m³)	Length 0.530 x Width 0.315 x Height 0.280 : Volume 0.047 (m³)				
Carton Net Weight (kg)	12	13.3	14.3	15	16.3
Carton Gross Weight (kg)	13	14.3	15.3	16	17.3